

RTF 1000 EZ

Calibration Chart

5 Second Shot FOR CALIBRATING THE RTF1000EZ—SERIES GUNS

Note: Below is a chart which will predetermine the 5 second shot weight of the “B” chemical once the weight of the “A” chemical has been determined. At Start up the nitrogen pressure for the “A” and “B” should be set the same approximately 150 PSI depending on the ambient temperature . The flow of the chemical can be increased or decreased by utilizing either the regulators or the EZ volume control valve.

(weight in grams)

The Weight of the “A” Chemical is	The Weight of the “B” Chemical must be between:		If the Weight of the “A” Chemical is:	The Weight of the “B” Chemical must be between:
25	22-25		56	49-56
26	23-26		57	50-57
27	24-27		58	51-58
28	25-28		59	52-59
29	26-29		60	52-60
30	26-30		61	53-61
31	27-31		62	54-62
32	28-31		63	55-63
33	29-33		64	56-64
34	30-34		65	57-65
35	31-35		66	58-66
36	32-36		67	59-67
37	33-37		68	59-68
38	33-38		69	60-69
39	34-39		70	61-70
40	35-40		71	62-71
41	36-41		72	63-72
42	37-42		73	64-73
43	38-43		74	65-74
44	39-44		75	66-75
45	39-45		76	66-76
46	41-46		77	67-77
47	42-47		78	68-78
48	43-48		79	69-79
49	44-49		80	70-80
50	45-50		81	70-81
51	45-51		82	71-82
52	46-52		83	72-83
53	46-53		84	73-84
54	47-54		85	74-85
55	48-55		86	75-86